

Pro-Active and Responsive Facilitation by Interactive,

Single-Window Hub

and Virtuous Environmental



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

To,

The owner

GODREJ MACBRICKS PRIVATE LIMITED

5th Floor, Godrej One, Pirojshanagar, Off. Eastern Express Highway, Vikhroli East, Mumbai-400079 -400079

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity

under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/419116/2023 dated 20 Feb 2023. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.

2. File No.

3. **Project Type**

4. Category

5. Project/Activity including Schedule No.

6. Name of Project EC23B038MH124874

SIA/MH/INFRA2/419116/2023

Expansion

В

8(a) Building and Construction projects

Proposed Residential & Commercial Development at village (W), State- Maharashtra Development at village Kavesar, Thane

7. Name of Company/Organization **GODREJ MACBRICKS PRIVATE**

LIMITED

MAHARASHTRA

8. **Location of Project**

9. **TOR Date** N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 06/06/2023

(e-signed) Pravin C. Darade, I.A.S. **Member Secretary** SEIAA - (MAHARASHTRA)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/419116/2023 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To M/s. Godrej Macbricks Pvt. Ltd. S. No. 206/2 & 141/5, Village Kavesar, Thane

Subject:

Environmental Clearance for proposed Residential & Commercial

Development at S. No. 206/2 & 141/5, Village Kavesar, Thane by M/s.

Godrej Macbricks Pvt. Ltd.

Reference: Application no. SIA/MH/INFRA2/419116/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 200th meeting under screening category 8(a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 260th meeting (Day-2) of State Level Environment Impact Assessment Authority (SEIAA) held on 03.05.2023.

2. Brief Information of the project submitted by you is as below:-

No	Description	Details				
1	Proposal Number	SIA/MH/INFRA2/419116/2023				
2	Name of Project	Proposed Residential & Commercial Development at village Kavesar, Thane (W), State- Maharashtra.				
3	Project category	8 (a)				
4	Type of Institution	Private				
5	Project Proponent	Name Mr. Ruchir Mehrotra - (Autho Signatory) M/S. Godrej Macbricks Limit				
		Regd. Office address	5 th Floor, Godrej One, Pirojshanagar, Off Eastern Express Highway, Vikhroli East, Mumbai.			
		Contact 8943690983 number				
		e-mail	godrejmacbricks@godrejproperties.c om			
6	Consultant	ULTRA TECH				
		Certificate No: NABET/EIA/2023/RA 0194 Validity: 6 th June 2023				
7	Applied for	Expansion				
8	Location of the project	Plot bearing S. No. 206/2 & 141/5, Kavesar, Thane.				
9	Latitude and Longitude	Latitude: 19°15'7.03" N;				
		Longitude: 72°58' 27.12" E				

No	Descripti	on		Details			
1 0	Plot Area (sq.m.)			17220.00 Sq. mt.			
1 1	Deductions (sq.m.)			2996.98 S	2996.98 Sq. mt.		
1 2	Net Plot a	rea (sq.m.)		14223.02	Sq. mt.		
1 3	Ground co	overage (m ²) &	%	9682.71 S	Sq. mt. (68%)		
1 4	FSI Area	(sq.m.)		47898.63	Sq. mt.	and the latest space.	
1 5	Non-FSI	(sq.m.)		50821.15	Sq. mt.		
1 6	Proposed Non FSI)	built-up area (sq.m.)	(FSI +				
1 7		(m²) approve Authority till da			Development Pe		
					ion Built-up area	4 - 4	
8		C details with ion area, if any.	i iotai	SEIAA	ed Environmenta , dt. 28 th February	/ 2020 in th	100%
				• Applied for transfer and name change of the received EC from M/s. Ashank Macbricks Private			
1 9	Construction completed as per earlier EC (FSI + Non FSI) (sq. m.)			Limited to M/s. Godrej Macbricks Limited. Total Constructed area on site till date (FSI + Non FSI): 10537.47 sq. mt.			
$\begin{vmatrix} 2 \\ 0 \end{vmatrix}$	Prev	ious EC/ Existi Building	ng	11. 1 - 1786 - 1985 - 1 사람들이 - 1. 17 1 - 🗢 - 1 등 1 등 1 등 1 등 1 등 1 등 1 등 1 등 1 등 1			Reason for Modification /
	Buildin g Name	Configurati on	Heigh t (m)	Buildin g Name	Configuration	Height (m)	Change
	Tower 1, 2 & 3:	Ground/ Podium + 1 st Podium + 2 nd Podium + 3 rd Podium + Stilt + 1 to 33 th Floors each	126.7 0 mt.	Tower 1, 2 & 3:	Ground/ Podium + 1 st Podium + 2 nd Podium + 3 rd Podium + Stilt + 1 to 38 th floor + recreational floor + 39 th floors each	141.95 mt.	 No change in no of towers and building design Proposed vertical expansion by 7 nos. of floors
	Club House:	Ground + 1 Floor		Club House:	Ground + 1 Floor		Change in planning
2		nements & Shop	ps	Sale Flats: 613 nos.			
2	Total Pop	oulation		EWS Flats: 47 nos. 3746 numbers of person			
2	Total Water Requirements CMD			528 CMD			

No	Description	Details				
3						
2	Under Ground Tank (UGT)	Underground				
4	location	Onderground				
2	Source of water	Thane Municipal Corporation (TMC)				
5			1 1			
2	STP Capacity & Technology	•STP Capacit				
6				oving Bed Bio Reactor)		
2	STP Location	Below groun	ıd			
7			• 400	C) E		
2 8	Sewage Generation CMD & %			etyle C.A. Court C		
8	of sewage discharge in sewer line	% of treated	sewage disc	charge in sewer line: 35%		
2	Solid Waste Management during	Type	Quantit	Treatment / disposal		
9	Construction Phase	1,10	y (Kg/d)	in cathlent, disposal		
		Dry waste	12	Segregation of solid waste		
		Wet waste	8	into biodegradable and non-		
				biodegradable and shall be		
				handed over to authorized		
				recyclers.		
		Constructio		Reuse/ recycle on site and		
		n waste		disposal of remaining waste		
				to the authorized landfill site		
3	Total Solid Waste Quantities	Type	Quantit	with prior permission Treatment/ disposal		
	TOTAL SOLICE WASTE CHARITIES			:: regiment/alchacgi		
$\begin{vmatrix} 3 \\ 0 \end{vmatrix}$	with type during Operation					
l 1	with type during Operation Phase & Capacity of OWC to	Dry waste	y (Kg/d) 968	To Authorized recyclers		
l 1	with type during Operation		y (Kg/d)	To Authorized recyclers Treatment of biodegradable		
l 1	with type during Operation Phase & Capacity of OWC to	Dry waste	y (Kg/d) 968	To Authorized recyclers Treatment of biodegradable waste in Organic Waste		
l 1	with type during Operation Phase & Capacity of OWC to	Dry waste Wet waste	y (Kg/d) 968 645	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters		
l 1	with type during Operation Phase & Capacity of OWC to	Dry waste	y (Kg/d) 968 645	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized		
l 1	with type during Operation Phase & Capacity of OWC to	Dry waste Wet waste	y (Kg/d) 968 645 17 (kg/	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste		
l 1	with type during Operation Phase & Capacity of OWC to	Dry waste Wet waste	y (Kg/d) 968 645	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016		
l 1	with type during Operation Phase & Capacity of OWC to	Dry waste Wet waste E-Waste	y (Kg/d) 968 645 17 (kg/	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016 and as amended in 2018		
l 1	with type during Operation Phase & Capacity of OWC to	Dry waste Wet waste E-Waste STP Sludge	y (Kg/d) 968 645 17 (kg/	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016		
l 1	with type during Operation Phase & Capacity of OWC to be installed	Dry waste Wet waste E-Waste STP Sludge (dry)	y (Kg/d) 968 645 17 (kg/ month)	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016 and as amended in 2018 Use as manure		
0	with type during Operation Phase & Capacity of OWC to	Dry waste Wet waste E-Waste STP Sludge (dry) RG required:	y (Kg/d) 968 645 17 (kg/ month)	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016 and as amended in 2018 Use as manure		
3	with type during Operation Phase & Capacity of OWC to be installed	Dry waste Wet waste E-Waste STP Sludge (dry) RG required: RG provide Sq.mt.	y (Kg/d) 968 645 17 (kg/month) 3555.76 Scd on Gro	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016 and as amended in 2018 Use as manure 1. mt. und/Mother earth: 3322.55		
3	with type during Operation Phase & Capacity of OWC to be installed	Dry waste Wet waste E-Waste STP Sludge (dry) RG required: RG provide Sq.mt. Balance RG	y (Kg/d) 968 645 17 (kg/ month) 3555.76 Sod on Gro	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016 and as amended in 2018 Use as manure q. mt. und/Mother earth: 3322.55		
3	with type during Operation Phase & Capacity of OWC to be installed	Dry waste Wet waste E-Waste STP Sludge (dry) RG required: RG provide Sq.mt. Balance RG Total RG: 68	y (Kg/d) 968 645 17 (kg/ month) 3555.76 Scd on Gro	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016 and as amended in 2018 Use as manure 1. mt. und/Mother earth: 3322.55 Podium: 3208.23 Sq.mt. nt.		
3	with type during Operation Phase & Capacity of OWC to be installed	Dry waste Wet waste E-Waste STP Sludge (dry) RG required: RG provide Sq.mt. Balance RG Total RG: 65	y (Kg/d) 968 645 17 (kg/ month) 3555.76 Sod on Gro provided on Gro 530.78 Sq.n	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016 and as amended in 2018 Use as manure q. mt. und/Mother earth: 3322.55 Podium: 3208.23 Sq.mt. nt. 44 nos.		
3	with type during Operation Phase & Capacity of OWC to be installed	Dry waste Wet waste E-Waste STP Sludge (dry) RG required: RG provide Sq.mt. Balance RG Total RG: 65 Existing trees Number of tr	y (Kg/d) 968 645 17 (kg/ month) 3555.76 Sod on Gro provided on Gro provided on Gro s on plot: 24 ees to be place	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016 and as amended in 2018 Use as manure q. mt. und/Mother earth: 3322.55 Podium: 3208.23 Sq.mt. nt. 14 nos. anted: 503		
3	with type during Operation Phase & Capacity of OWC to be installed	Dry waste Wet waste E-Waste STP Sludge (dry) RG required: RG provide Sq.mt. Balance RG: Total RG: 63 Existing tree: Number of tr	y (Kg/d) 968 645 17 (kg/ month) 3555.76 Scd on Gro provided on Gro son plot: 24 ees to be places cut: 68	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016 and as amended in 2018 Use as manure 1. mt. und/Mother earth: 3322.55 Podium: 3208.23 Sq.mt. 14 nos.		
3	with type during Operation Phase & Capacity of OWC to be installed	Dry waste Wet waste E-Waste STP Sludge (dry) RG required: RG provide Sq.mt. Balance RG Total RG: 65 Existing trees Number of tr Number of tr To be Cut: 02	y (Kg/d) 968 645 17 (kg/month) 3555.76 Scd on Gro provided on Gro provided on Gro s on plot: 24 ees to be places cut: 68 2 nos.)	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016 and as amended in 2018 Use as manure 1. mt. 1. und/Mother earth: 3322.55 1. Podium: 3208.23 Sq.mt. 1. nt. 1. und. 1. nt. 1. und. 1. nt. 1. und. 1. nos. 1. anted: 503 1. nos. (Already Cut: 66 nos., &		
3	with type during Operation Phase & Capacity of OWC to be installed	Dry waste Wet waste E-Waste STP Sludge (dry) RG required: RG provide Sq.mt. Balance RG Total RG: 65 Existing tree: Number of tr Number of tr To be Cut: 02 Number of tr	y (Kg/d) 968 645 17 (kg/month) 3555.76 Sod on Gro provided on Gro s on plot: 24 ees to be plates cut: 68 2 nos.) ees to be tra	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016 and as amended in 2018 Use as manure q. mt. und/Mother earth: 3322.55 Podium: 3208.23 Sq.mt. nt. 44 nos. anted: 503 nos. (Already Cut: 66 nos., & ansplanted: 171 nos. (Already		
3	with type during Operation Phase & Capacity of OWC to be installed	Dry waste Wet waste E-Waste STP Sludge (dry) RG required: RG provide Sq.mt. Balance RG: Total RG: 63 Existing tree: Number of tr Number of tr To be Cut: 02 Number of tr transplanted:	y (Kg/d) 968 645 17 (kg/month) 3555.76 Sod on Grooprovided	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016 and as amended in 2018 Use as manure q. mt. und/Mother earth: 3322.55 Podium: 3208.23 Sq.mt. nt. 44 nos. anted: 503 nos. (Already Cut: 66 nos., & ansplanted: 171 nos. (Already To be transplanted: 13 nos.)		
3	with type during Operation Phase & Capacity of OWC to be installed	Dry waste Wet waste E-Waste STP Sludge (dry) RG required: RG provide Sq.mt. Balance RG Total RG: 65 Existing tree: Number of tr Number of tr To be Cut: 02 Number of tr	y (Kg/d) 968 645 17 (kg/month) 3555.76 Sod on Grooprovided on Grooprovided on Grooprovided on Son plot: 24 ees to be places cut: 68 2 nos.) ees to be trates 158 nos. & of trees: 72	To Authorized recyclers Treatment of biodegradable waste in Organic Waste Converters Disposal through authorized recyclers as per E-waste (Management) Rules, 2016 and as amended in 2018 Use as manure 1. mt. 1. und/Mother earth: 3322.55 1. Podium: 3208.23 Sq.mt. 1. nt. 1. anted: 503 1. nos. (Already Cut: 66 nos., & ansplanted: 171 nos. (Already To be transplanted: 13 nos.) 2. nos.		

No	Description	Details
•		Miyawaki forest: 560 nos. (367 Sq.Mtrs.)
		Total Nos. of trees after development: 827 nos.
3	Power requirement	During Operation Phase:
2		Connected load (KW): 14550 KW
		Maximum demand (KW): 4230 KW
3	Energy Efficiency	a) Total Energy saving (%): For overall project- 21.38
3		%
		b) Solar energy (%):
		For overall project: 5.61 %
3 4	D.G. set capacity	1 no. of 1010 kVA
3	No. of 4-W & 2-W Parking with	4-Wheeler: 778 Nos.
5	25% EV	2-Wheeler: 679 Nos.
3	No. & capacity of Rain water	Provision of one rain water harvesting tank of total
6	harvesting tanks/ Pits	capacity 60 KL
3	Project Cost in (Cr.)	621.84 Crore
7		
3	EMP Cost	Total EMP cost including costing towards disaster
8		management is as below:
		Construction Phase: Rs. 140.95 Lacs
		Operation Phase:
		Capital cost: Rs. 470.07 Lacs
		Operational and Maintenance cost: Rs. 33.95
		Lacs/annum
3	CER Details with justification if	
9	anyas per MoEF & CC circular dated 01/05/2018	
4	Details of Court Cases/	No litigation is pending against the project or land
$\begin{vmatrix} 4 \\ 0 \end{vmatrix}$	litigations w.r.t the project and	The migation is pending against the project of fand
U	project location, if any.	

The comparative statement showing the project details as per earlier EC and the proposed amendment is as follows:

No	Description		As per EC received dt. 28.02.2020	Seeking expansion in EC	Remarks
1	Total Plot Ar	ea (sq. mt)	17220.00	17220.00	No change
2	Deduction (s	q. mt)	2996.98	2996.98	No change
3	Net plot area	(sq.mt)	14223.02	14223.02	No change
4	Ground coverage Area (sq.mt.)		9682.71	9682.71	No change
5	RG Requirement (sq.mt)		3555.76 (25% of Net plot area)	3555.76 (25% of Net plot area)	No change
6	RG Area	on Ground	3322.55	3322.55	No change
	Provision	on Podium	3208.23	3208.23	

	(sq. mt)	Total	6530.78	6530.78	
7	Proposed Built-up Area as per FSI (sq.mt)		38083.26	47898.63	Proposed increase by 9815.37 sq. mt. as per Unified Development Control and Promotion Regulations (UDCPR)
8	Proposed Bu as per Non F (sq.mt)		50739.85	50821.15	Proposed increase by 81.30 sq.mt.
9	Total Constru Built-up Area		88823.11	98719.78	Proposed increase by 9896.67 sq. mt.
10	Parking spac requirement	2.07	4W: 630 2W: 649	4W: 694 2W: 929	4-W: Proposed increase by 64 nos. 2-W: Proposed increase by 280 nos.
	Parking spac (nos.)	e provision	4W: 751 2W: 651	4W: 778 2W: 679	4-W: Proposed increase by 27 nos. 2-W: Proposed increase by 28 nos.

COMPARATIVE: PROJECT PROPOSAL

As per EC receive	ed dt. 28.02.2020	Seeking ex	pansion in EC	Remarks	
Tower 1, 2 & 3: Ground/ Podium + 2 nd Podium + 3 rd Poto 33 th Floors each	odium + Stilt + 1	Podium + Podium +	2 & 3: odium + 1 st - 2 nd Podium + 3 rd Stilt + 1 to 38 th reational floor +	 No change in the no of towers and building design Proposed vertical expansion by 7 nos. of floors 	
Height: 126.70 mt.		Height: 14	1.95 mt.	Proposed increased by 15.25 mt.	
Club House: Grour	nd +1 Floor	Club House: Ground + 1 Floor		Change in planning but construction not started	
Tenemants Details		Tenemants Details	Sale Flats: 613 Nos.	Proposed increase by 95 nos.	
	EWS Flats: 37 Nos.		EWS Flats: 47 Nos.	Proposed increase by 10 nos.	
er Francisco	Offices		Offices	No change	

3. Proposal is an expansion of existing construction project. Project had earlier received environmental clearance in the name of M/s. Ashank Macbricks Private Limited vide SEIAA Statement no.0000001717, dated:28/02/2020 for plot area of 17,220.00 Sq.Mtrs., total construction area of 88,823.11 Sq.Mtrs. & FSI area of 38,083.26 Sq.Mtrs. Proposal has been considered by SEIAA in its 260th meeting (Day-2) and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1.PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as

per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.

- 2.PP to obtain SWM/ C & D NOC as per amended planning.
- 3.Planning authority to ensure that assured water supply, sewer and storm water drainage network is made available in the vicinity of the project before issuing occupation certificate to the project.
- 4.PP to submit compliance of observations made in certified compliance report received from Regional Office, MoEF& CC.
- 5. PP to relocate OWC proposed above UGTs & submit revised location & layout of OWC with adequate space for storage of compost.
- 6.PP to relocate parking proposed above the STP & submit revised parking layout accordingly.
- 7.PP to maintain distance between domestic tank and flushing tank to avoid contamination in potable water.
- 8.PP to reduce discharge of treated water up to 35%; PP to submit undertaking/agreement from concerned authority/agency/third party regarding use of excess treated water.
- 9.PP to transfer earlier EC dated: 28/02/2020 in the name of M/s. Godrej Macbricks Limited.

B. SEIAA Conditions-

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI area of 47898.63 m2, Non FSI area of 50821.15 m2 and total BUA of 98719.78 m2. (Plan approval No. TMC/TD-DP/TPS/3948/22 dated 09.02.2022)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed

- concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste

- (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
 - XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
 - XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the

company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act,

1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Thane
- 6. Commissioner, Thane Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Thane